

## *Ecology*

- A1. Génard M., Lescourret F. 1985. Le Sanglier (*Sus scrofa scrofa* L.) et les diaspores dans le Sud de la France. **Revue d'Ecologie (Terre Vie)**, 40, 343-353.
- A2. Génard M., Lescourret F. 1985. Caractères insulaires de l'avifaune forestière des Alpes du Sud et des Pyrénées Orientales. **Acta Oecologica (Oecologia Generalis)**, 6, 209-221.
- A3. Génard M., Lescourret F. 1985. Les petits vertébrés et la régénération du Pin à crochets (*Pinus uncinata* Miller ex Mirbel) dans les Pyrénées Orientales : consommation des graines après la dissémination. **Acta Oecologica (Oecologia Applicata)**, 6, 381-392.
- A4. Lescourret F., Génard M. 1985. Recherches d'indices d'alimentation et connaissance des milieux exploités par le Sanglier (*Sus scrofa scrofa* L.) en été dans l'Hérault. **Gibier Faune Sauvage**, 1, 63-73.
- A5. Génard M., Lescourret F. 1986. Abondance et répartition des petits vertébrés consommateurs de graines de Pin à crochets (*Pinus uncinata* Miller ex Mirbel) en forêt d'Osséja (Pyrénées-Orientales). **Vie Milieu**, 36, 27-36.
- A6. Lescourret F., Génard M. 1986. Dissémination de spores de champignons par les petits mammifères. **Mammalia**, 50, 278-280.
- A7. Lescourret F., Génard M. 1986. Consommation des graines de Pin à crochets (*Pinus uncinata* Miller ex Mirbel) avant leur dissémination par les petits vertébrés dans les Pyrénées-Orientales. **Revue d'Ecologie (Terre Vie)**, 41, 219-236.
- A8. Génard M. 1987. Etude de quelques facteurs influençant le mode d'occupation de l'espace chez la Grue cendrée (*Grus grus*) dans les cultures de la région de Captieux (Gironde et Landes) durant son hivernage. **Gibier Faune Sauvage**, 4, 99-124.
- A9. Génard M., Lescourret F. 1987. The Common Crossbill *Loxia curvirostra* in the Pyrenees : some observations on its habitats and on its relations with conifer seeds. **Bird Study**, 34, 52-63.
- A10. Balent G., Génard M., Lescourret F. 1988. Analyse des patrons de répartition des oiseaux nicheurs en Midi-Pyrénées. **Acta Oecologica (Oecologia Generalis)**, 9, 247-263.
- A11. Génard M., Béreyziat T. 1988. Utilisation diurne de l'espace et du temps par les Grues cendrées (*Grus grus*) hivernant dans les Landes de gascogne. **Gibier Faune Sauvage**, 5, 43-60.
- A12. Génard M., Lescourret F., Durrieu G. 1988. Mycophagie chez le Sanglier et hypothèses sur son rôle dans la dissémination des champignons hypogés. **Canadian Journal of Zoology**, 66, 2324-2327.
- A13. Génard M., Fleury A. 1990. Evolution au cours de l'hivernage de la répartition spatiale et

de l'habitat de la Sarcelle d'hiver (*Anas crecca*) sur une aire de repos de la côte atlantique française. **Canadian Journal of Zoology**, 68, 1145-1153.

- A14. Génard M., Lescourret F. 1990. Modélisation de la carte de répartition d'une espèce, appliquée au cas des perdrix (*Perdix perdix hispaniensis* Reich. et *Alectoris rufa* L.) dans les Pyrénées Orientales. **Gibier Faune Sauvage**, 7, 205-230.
- A15. Génard M., Lanusse D., Béreyziat T. 1991. Ressources en maïs et stationnement des Grues cendrées (*Grus grus*) dans le Sud-Ouest de la France. **Canadian Journal of Zoology**, 69, 2295-2299.
- A16. Génard M., Lanusse D. 1992. Use of marshlands by common cranes in winter in south-western France. **Ornis Fennica**, 69, 19-28.
- A17. Génard M., Lescourret F. 1992. Modelling wetland habitats for species management : the case of teals (*Anas crecca crecca*) in the Bassin d'Arcachon (French Atlantic Coast). **Journal of Environmental Management**, 34, 179-195.
- A18. Lescourret F., Génard M. 1992. Bird community conservation in large blocks of mountain pine. **Environmental Conservation**, 19, 359-361.
- A19. Génard M., Massé J., Rigaud J. 1993. Approche expérimentale de l'impact des oiseaux piscivores sur une pisciculture extensive littorale. **Bulletin Français de la Pêche et de la Pisciculture**, 329, 231-243.
- A20. Lescourret F., Génard M. 1993. Habitat relationships of the pyrenean gray partridge. **Journal of Range Management**, 46, 289-295.
- A21. Lescourret F., Génard M. 1994. Habitat, landscape and bird composition in mountain forest fragments. **Journal of Environmental Management**, 40, 317-328.

## *Horticulture*

- A22. Génard M., Bruchou C., Souty C. 1991. Variabilité de la croissance et de la qualité chez la pêche (*Prunus persica* L Batsch) et liaison entre croissance et qualité. **Agronomie**, 11, 829-845.
- A23. Génard M. 1992. Influence du nombre de feuilles et de la répartition des fruits sur la production et la qualité des pêches. **Canadian Journal of Plant Science**, 72, 517-525.
- A24. Génard M., Bruchou C. 1992. Multivariate analysis of within-tree factors accounting for the variation of peach fruit quality. **Scientia Horticulturae**, 52, 37-51.
- A25. Génard M., Bruchou C. 1993. A functional and exploratory approach to studying growth: the example of the peach fruit. **Journal of the American Society for Horticultural Science**, 118, 317-323.
- A26. Pagès L., Génard M., Kervella J. 1993.

- Analyse quantitative du développement aérien de jeunes pêchers (*Prunus persica* (L.) Batsch). **Agronomie**, 13, 135-144.
- A27. Génard M., Baret F. 1994. Spatial and temporal variation of light inside peach trees. **Journal of the American Society for Horticultural Science**, 119, 669-677.
- A28. Génard M., Pagès L. et Kervella J. 1994. Relationship between sylleptic branching and components of parent shoot development in the peach tree. **Annals of Botany**, 74, 465-470.
- A29. Génard M., Souty M., Holmes S., Reich M., Breuils L. 1994. Correlations among quality parameters of peach fruit. **Journal of the Science of Food and Agriculture**, 66, 241-245.
- A30. Kervella J., Pagès L., Génard M. 1994. Genotypic differences in the length-diameter relationship of branches of one-year-old peach and nectarine trees. **Journal of the American Society for Horticultural Science**, 119, 616-619.
- A31. Huguet J.G., Génard M. 1995. Effets de la disponibilité hydrique sur les flux de matières et la croissance de la pêche. **Agronomie**, 15, 97-107.
- A32. Kervella J., Pagès L., Génard M. 1995. Genotypic differences in the leaf emergence rate of young peach trees. **Journal of the American Society for Horticultural Science**, 120, 278-282.
- A33. Kervella J., Pagès L., Génard M. 1995. Growth context and fate of axillary meristems of young peach trees. Influence of parent shoot growth characteristics and emergence date. **Annals of Botany**, 76, 559-567.
- A34. Ben Mimoun M., Longuenesse J.-J., Génard M. 1996. Pmax as related to leaf:fruit ratio and fruit assimilate demand in peach. **Journal of Horticultural Science**, 71, 767-775.
- A35. Génard M., Huguet J.G. 1996. Modelling response of peach fruit growth to water stress. **Tree Physiology**, 16, 407-415.
- A36. Génard M., Souty M. 1996. Modeling the peach sugar contents in relation to fruit growth. **Journal of the American Society for Horticultural Science**, 121, 1122-1131.
- A37. Fishman S., Génard M. 1998. Model of fruit growth based on biophysical description of main contributing processes. Simulation of seasonal and diurnal dynamics of weight. **Plant, Cell and Environment**, 21, 739-752.
- A38. Génard M., Lescourret F., Ben Mimoun M., Basset J., Bussi C. 1998. A simulation model of growth at the shoot bearing fruit level. II Test and effect of source and sink factors in the case of peach. **European Journal of Agronomy**, 9, 189-202.
- A39. Génard M., Pagès L., Kervella J. 1998. A carbon balance model of growth and development in the peach tree for studying the response to pruning. **Tree Physiology**, 18, 351-362.
- A40. Lescourret F., Ben Mimoun M., Génard M. 1998. A simulation model of growth at the shoot bearing fruit level. I Description and parameterisation for peach. **European Journal of Agronomy**, 9, 173-188.
- A41. Lescourret F., Génard M., Habib R., Pailly O. 1998. Pollination and fruit growth models for studying the management of kiwifruit orchards. II. Models behaviour. **Agricultural Systems**, 56, 67-89.
- A42. Lescourret F., Habib R., Génard M., Agostini D., Chadoeuf J. 1998. Pollination and fruit growth models for studying the management of kiwifruit orchards. I. Models description. **Agricultural Systems**, 56, 91-123.
- A43. Wallach D., Génard M. 1998. Effect of uncertainty in input and parameter values on model prediction error. **Ecological Modelling**, 105, 337-345.
- A44. Bruchou C., Génard M. 1999. A space-time model of carbon translocation along a shoot bearing fruits. **Annals of Botany**, 84, 565-576.
- A45. Génard M., Reich M., Lobit P., Basset J. 1999. Correlations between sugar and acid content and peach growth. **Journal of Horticultural Science and Biotechnology**, 74, 772-776.
- A46. Souty M., Génard M., Reich M., Albagnac G. 1999. Influence de la fourniture en assimilats sur la maturation et la qualité de la pêche (*Prunus persica* L., cv Suncrest). **Canadian Journal of Plant Science**, 79, 259-268.
- A47. Génard M., Baret F., Simon D. 2000. A 3D peach canopy model used to evaluate the effect of tree architecture and density on photosynthesis at a range of scales. **Ecological Modelling**, 128, 197-209.
- A48. Lescourret F., Inizan O., Génard M. 2000. Analyse de l'étalement temporel de la floraison et influence sur la variabilité intra-arbre de la chute et de la croissance précoce des pêches. **Canadian Journal of Plant Science**, 80, 129-136.
- A49. Li S.H., Génard M., Bussi C., Huguet J.G., Habib R., Basset J., Laurent R. 2001. Fruit quality and leaf photosynthesis in response to microenvironment modification around individual fruit by covering the fruit with plastic in nectarine and peach trees. **Journal of Horticultural Science and Biotechnology**, 76, 61-69.
- A50. Lobit P., Soing P., Génard M., Habib R. 2001. Effects of timing of nitrogen fertilization on shoot development in peach (*Prunus persica*) trees. **Tree Physiology**, 20, 35-42.
- A51. Génard M., Fishman S., Vercambre G., Huguet J.G., Bussi C., Basset J., Habib R. 2001. A biophysical analysis of stem and root diameter variations in woody plants. **Plant Physiology**, 126, 188-202.
- A52. Lescourret F., Génard M., Habib R., Fishman

- S. 2001. Variation in surface conductance to water vapor diffusion in peach fruit and its effects on fruit growth assessed by a simulation model. **Tree Physiology**, 21, 735-741.
- A53. Basset J., Génard M., Girard T., Serra V., Bussi C. 2001. Effect of water stress applied during the final stage of rapid growth on peach trees (cv. Big-Top). **Scientia Horticulturae**, 91, 289-303.
- A54. Fishman S., Génard M., Huguet J.-G. 2001. Theoretical analysis of systematic errors introduced by a pedicel-girdling technique used to estimate separately the xylem and phloem flows. **Journal of theoretical Biology**, 213, 435-446.
- A55. Li S.-H., Génard M., Bussi C., Lescourret F., Laurent R., Basset J., Habib R. 2002. Preliminary study on transpiration of peaches and nectarines. **Gartenbauwissenschaft**, 67, 39-43.
- A56. Quilot B., Génard M., Kervella J., Lescourret F. 2002. Ecophysiological analysis of genotypic variation in peach fruit growth. **Journal of Experimental Botany**, 374, 1613-1625.
- A57. Wu B.-H., Génard M., Lescourret F., Gomez L., Li S. -H. 2002. Influence of the assimilate and water supply on seasonal variation of acids in peach (cv. Suncrest). **Journal of the Science of Food and Agriculture**, 82, 1829-1836.
- A58. Léchaudel M., Génard M., Lescourret F., Urban L., Jannoyer M. 2002. Leaf-to-fruit ratio affects water and dry-matter content of mango fruit. **Journal of Horticultural Science & Biotechnology**, 77, 773-777.
- A59. Lobit P., Soing P., Génard M., Habib R. 2002. Theoretical analysis of relationships between composition, pH, and titratable acidity of peach fruit. **Journal of Plant Nutrition**, 25, 2775-2792.
- A60. Génard M., Lescourret F., Gomez L., Habib R. 2003 Changes in fruit sugar concentration in response to assimilate supply, metabolism and dilution. A modelling approach applied to peach fruit (*Prunus persica* (L.)). **Tree Physiology**, 23, 373-385.
- A61. Lescourret F., Génard M. 2003. A multi-level theory of competition for resources applied to fruit production. **Ecoscience**, 10, 334-341.
- A62. Lobit P., Génard M., Wu B.H., Soing P., Habib R. 2003. Modelling citrate metabolism in fruits: response to growth and temperature. **Journal of Experimental Botany**, 54, 2489-2501.
- A63. Wu B.H., Génard M., Kervella J., Li S.H., Laurent R. 2003. Relationship between skin speckle, soluble solids content and transpiration rate in nectarines. **Europ. J. Hort. Sci.**, 68, 83-85.
- A64. Wu B., Quilot B., Kervella J., Génard M., Li S. 2003. Analysis of genotypic variation of sugar and acid contents in peaches and nectarines through the Principle Component Analysis. **Euphytica**, 132, 375-384.
- A65. Bertin N., Génard M., Fishman S. 2003. A model for an early stage of tomato fruit development: cell multiplication and cessation of the cell proliferative activity. **Annals of Botany**, 92, 65-72.
- A66. Wu B., Li S., Quilot B., Génard M., Kervella J. 2003. Influence of hairless of fruit epidermis and flesh color on contents of sugars and acids and their relationship in peach. **Scientia Agricultura Sinica**, 36, 1540-1544.
- A67. Quilot B., Kervella J., Génard M. 2004. Shape, mass and dry matter content of peaches of varieties with different domestication levels. **Scientia Horticulturae**, 99, 387-393.
- A68. Walcroft A.S., Lescourret F., Génard M., Sinoquet H., Le Roux X., Donès N. 2004. Does variability in shoot carbon assimilation within the tree crown explain variability in peach fruit growth ? **Tree Physiology**, 24, 313-322.
- A69. Wu B., Li S., Quilot B., Génard M., Kervella J. 2004. Sugar and Acid content and their genotypic correlations of unselected *P. persica* x *P. davidiana* progenies as affected by hairness and flesh color. **Agricultural Sciences in China**, 3, 136-142.
- A70. Quilot B., Génard M., Kervella J. 2004. Leaf light-saturated photosynthesis for wild and cultivated peach genotypes and their hybrids : a simple mathematical modelling analysis. **Journal of Horticultural Science & Biotechnology**, 79, 546-553.
- A71. Quilot B., Génard M., Kervella J., Lescourret F. 2004. Analysis of genotypic variation in fruit flesh total sugar content via an ecophysiological model applied to peach. **Theoretical and Applied Genetics**, 109, 440-449.
- A72. Quilot B., Wu B.H., Kervella J., Génard M., Foulongne M., Moreau K. 2004. QTL analysis of quality traits in an advanced backcross between *Prunus persica* cultivars and the wild relative species *P. davidiana*. **Theoretical and Applied Genetics**, 109, 884-897..
- A73. Wu B.H., Quilot B., Génard M., Kervella J., Li S.H. 2005. Changes in sugar and organic acid concentrations during fruit maturation in peaches, *P. davidiana* and hybrids asanalyzed by Principal Component Analysis. **Scientia Horticulturae**, 103, 429-439.
- A74. Wu BH., Li SH., Quilot B., Génard M., Kervella J., Gomez L. 2005. Sugar and acid concentrations associated with several qualitative traits in unselected *Prunus persica* X *P. davidiana* progenies **Journal of Horticultural Science & Biotechnology**, 80, 335-339.
- A75. Léchaudel M, Joas J, Caro Y, Génard M and Jannoyer M. 2005. Leaf:fruit ratio and irrigation supply affect seasonal changes in

- minerals, organic acids and sugars of mango fruit. **J. Sci. Food Agric.**, 85, 251-260.
- A76. Léchaudel M., Génard M., Lescourret F., Urban L., Jannoyer M. 2005. Modelling effects of weather and source-sink relationships on mango fruit growth. **Tree Physiology**, 25, 583-597.
- A77. Vaast P., Angrand J., Franck N., Dauzat J., Génard M. 2005. Fruit load and branch ring-barking affect carbon allocation and photosynthesis of leaf and fruit of *Coffea arabica* in the field. **Tree Physiology**, 25, 753-760.
- A78. Gibert C., Lescourret, F., Génard M., Vercambre G., Pérez Pastor A. 2005. Modelling the effect of fruit growth on surface conductance to water vapour diffusion. **Annals of Botany**, 95, 673-683.
- A79. Wu B.H.; Ben Mimoun M., Génard M., Lescourret F., Basset J., Bussi C. 2005. Peach fruit growth in relation to the leaf-to-fruit ratio, early fruit size and fruit position. **Journal of Horticultural Science & Biotechnology**, 80, 340-345.
- A80. Lescourret, F., Génard M. 2005. A virtual peach fruit model simulating changes in fruit quality during the final stage of fruit growth. **Tree Physiology**, 25, 1303-1315.
- A81. Bussi C., Lescourret F., Genard M., Habib R. 2005. Pruning intensity and fruit load influence vegetative and fruit growth in an early-maturing peach tree (cv. Alexandra). **Fruits**, 60, 133-142.
- A82. Génard M., Gouble B. 2005. ETHY. A theory of fruit climacteric ethylene emission. **Plant Physiol.**, 139: 531-545.
- A83. Quilot B., Génard M., Lescourret F., Kervella J. 2005. Simulating genotypic variation of fruit quality in an advanced peach *X* *Prunus davidiana* cross. **Journal of Experimental Botany**, 56, 3071-3081.
- A84. Quilot B., Kervella J., Génard M., Lescourret F., 2005. Analysing the genetic control of peach fruit quality through an ecophysiological model combined with a QTL approach. **Journal of Experimental Botany**, 56, 3083-3092.
- A85. Franck N., Vaast P., Génard M., Dauzat J., 2006. Soluble sugars mediate sink feedback down-regulation of leaf photosynthesis in field-grown *Coffea arabica*. **Tree Physiology**, 26, 517-525.
- A86. Vaast P., Bertrand B., Perriot J.J., Guyot B., Génard M. 2004. Fruit thinning and shade improve bean characteristics and beverage quality of coffee (*Coffea Arabica* L.) under optimal conditions. **J. Sci. Food Agric.** 86, 197-204.
- A87. Lobit P., Génard M., Soing P., Habib R. 2006. Modelling malic acid accumulation in fruits: relationships with organic acids, potassium, and temperature. **Journal of Experimental Botany**, 57, 1471-1483.
- A88. Nicolas E., Lescourret F., Génard M., Bussi C., Basset J. 2006. Does dry matter partitioning to fruit in early- and late-ripening peach (*Prunus persica*) cultivars confirm the branch autonomy theory ? **Journal of Horticultural Science & Biotechnology**, 81, 444- 448.
- A89. Léchaudel M., Vercambre G., Lescourret F., Normand F., Génard M. 2007. An analysis of elastic and plastic fruit growth of mango in response to various assimilate supplies. **Tree Physiology**, 27, 219-230.
- A90. Génard M., Bertin N., Borel C., Bussières P., Gautier H., Habib R., Léchaudel M., Lecomte A., Lescourret F., Lobit P., Quilot B. 2007. Towards a virtual fruit focusing on quality: modelling features and potential uses. **Journal of Experimental Botany**, 58, 917-928.
- A91. Wu BH, Génard M, Lobit P, Longuenesse JJ, Lescourret F, Habib R, Li SH 2007. Analysis of citrate accumulation during peach fruit development via a model approach. **Journal of Experimental Botany**, 58, 2583-2594.
- A92. Bertin N., Lecomte A., Brunel B., Fishman S., Génard M. 2007. A model describing cell polyploidization in tissues of growing fruit as related to cessation of cell proliferation. **Journal of Experimental Botany**, 58, 1903-1913.
- A93. Liu H.F., Génard M., Guichard S., Bertin N. 2007. Model-assisted analysis of tomato fruit growth in relation to carbon and water fluxes. **Journal of Experimental Botany**, 58, 3567-3580.
- A94. Gibert C., Chadoeuf J., Vercambre G., Génard M., Lescourret F. 2007. Cuticular cracking on nectarine fruit surface : spatial distribution and development in relation to irrigation and thinning. **Journal of the American Society for Horticultural Science**, 132, 583-591.
- A95. Quilot B., Génard M. 2008. Is competition between mesocarp cells of peach fruits affected by the percentage of wild species (*Prunus davidiana*) genome? **Journal of Plant Research**, 121, 55-63.
- A96. Gautier H. Diakou-Verdin V., Bénard C., Reich M., Buret M., Bourgaud F., Poëssel J.L., Caris-Veyrat C., Génard M. 2008. How does tomato quality (sugar, acid, and nutritional quality) vary with ripening stage, temperature, and irradiance? **Journal of Agricultural and Food Chemistry**, 56, 1241-1250.
- A97. Grechi I., Hilgert N., Génard M., Lescourret F. 2008. Assessing the peach refractometric index at harvest with a simple model based on fruit growth. **Journal of the American Society for Horticultural Science**, 133: 178-187.
- A98. Génard M., Dauzat J., Franck N., Lescourret F., Moitrier N., Vaast P., Vercambre G. 2008. Carbon allocation in fruit trees: from theory to

- modelling. *Trees*, 22, 269-282.
- A99. Gautier H., Massot C., Stevens R., Sérido S., Génard M. 2009. Regulation of tomato fruit ascorbate content is more highly dependent on fruit irradiance than leaf irradiance. *Ann. Bot.* 103: 495–504.
- A100. Mercier V., Bussi C., Lescourret F., Génard M. 2009. Effects of different irrigation regimes applied during the final stage of rapid growth on an early maturing peach cultivar. *Irrig. Sci.* 27, 297–306.
- A101. Prudent M., Causse M., Génard M., Tripodi P., Grandillo S., Bertin N. 2009. Genetic and physiological analysis of tomato fruit weight and composition: influence of carbon availability on QTL detection. *Journal of Experimental Botany*, 60, 923-937.
- A102. Bertin N., Causse M., Brunel B., Tricon D., Génard M. 2009. Identification of growth processes involved in QTLs for tomato fruit size and composition. *Journal of Experimental Botany*, 60 : 237–248.
- A103. Génard M., Gibert C., Bruchou C., Lescourret F. 2009. An intelligent virtual fruit focusing on quality attributes. *Journal of Horticultural Science & Biotechnology*, ISAFRUIT Special Issue 157–163.
- A104. Bénard C., Gautier H., Bourgaud F., Grasselly D., Navez B., Caris-Veyrat C., Weiss M., Génard M. 2009. Effects of low nitrogen supply on tomato (*Solanum lycopersicum*) fruit yield and quality with special emphasis on sugars, acids and antioxidant content. *Journal of Agricultural and Food Chemistry*. 57, 4112–4123.
- A105. Dai Z.W., Vivin P., Robert T.T., Milin S., Li S.H., Génard M. 2009. Model-based analysis of sugar accumulation in response to source-sink ratio and water supply in grape (*Vitis vinifera*) berry. *Functional Plant Biology*, 36, 527-540.
- A106. Dai Z.W., Genard M., Li S.H., Vivin P. 2009. Analyzing the functional association among seed traits, berry growth and chemical composition in cabernet-sauvignon berry (*Vitis Vinifera L.*) using a mathematical growth function. *J. Int. Sci. Vigne Vin*, 43, 35-44.
- A107. Bussi C., Lescourret F., Génard M. 2009. Effects of thinning and pruning on shoot and fruit growths of girdled fruit-bearing shoots in two peach tree cultivars ('Big Top' and 'Alexandra'). *Europ. J. Hort. Sci.* 74, 97-102.
- A108. Najla S., Vercambre G., Pagès L., Grasselly D., Gautier H., Génard M. 2009. Tomato plant architecture as affected by salinity : descriptive analysis and integration in a 3-D simulation model. *Botany*, 87, 893-904.
- A109. Gibert C., Chadoeuf J., Nicot P., Vercambre G., Génard M. and Lescourret F. 2009. Modelling the effect of cuticular crack surface area and inoculum density on the probability of nectarine fruit infection by *Monilinia laxa*. *Plant Pathology* 58, 1021–1031.
- A110. Gautier H., Lopez-Lauri F., Massot C., Murshed R., Marty I., Grasselly D., Keller C., Sallanon H., Génard M. 2010. Impact of ripening and salinity on tomato fruit ascorbate content and enzymatic activities related to ascorbate recycling. *Functional Plant Science and Biotechnology*, 4 (Special Issue), 66-75.
- A111. Bussi C., Lescourret F., Mercier V., Génard M. 2010. Effects of winter pruning and of water restriction on fruit and vegetative growth, water potential and leaf gas exchange during the final stage of rapid growth in an early maturing peach cultivar. *Europ. J. Hort. Sci.* 75, 15 -19.
- A112. Bertin N., Martre P., Génard M., Quilot B., Salon C. 2010. Under what circumstances can process-based simulation models link genotype to phenotype for complex traits? Case- study of fruit and grain quality traits. *Journal of Experimental Botany*, 61, 955-967.
- A113. Gibert C., Génard M., Vercambre G., Lescourret F. 2010. Quantification and modelling of the stomatal, cuticular and crack components of peach fruit surface conductance. *Functional Plant Biology*, 2010, 37, 264–274.
- A114. Génard M., Bertin N., Gautier H., Lescourret F., Quilot B. 2010. Virtual profiling: a new way to analyse phenotypes. *The plant Journal*, 62, 344–355.
- A115. Prudent M., Bertin N., Génard M., Munos S., Rolland S., Garcia V., Petit J., Baldet P., Rothan C., Causse M. 2010. Genotype-dependent response to carbon availability in growing tomato fruit. *Plant, Cell and Environment*, 33, 1186-1204.
- A116. Najla S., Vercambre G., Génard M. 2010. Improvement of the enhanced phloem exudation technique to estimate phloem concentration and turgor pressure in tomato. *Plant Science*, 179, 316-324.
- A117. Prudent M., Lecomte A., Bouchet J.-P., Bertin N., Causse M., Génard M. 2011. Combining ecophysiological modelling and quantitative trait loci analysis to identify key elementary processes underlying tomato fruit sugar concentration. *Journal of Experimental Botany*, 62, 907–919.
- A118. Muller, B., Pantin F., Génard M., Turc O., Freixes S., Piques M., Gibon Y. 2011. Water deficits uncouple growth from photosynthesis, increase C content, and modify the relationships between C and growth in sink organs. *Journal of Experimental Botany*, 62, 1715–1729.
- A119. Lescourret M, Moitrier N, Valsesia P. Génard M 2011.QualiTree, a virtual fruit tree to study the management of fruit quality. I. Model development. *Trees* (in press).
- A120. Mirás-Avalos J, Egea G, Nicolas E, Génard M, Vercambre G, Moitrier N, Valsesia P, Gonzalez-Real MM, Bussi C, Lescourret F 2011.QualiTree, a virtual fruit tree to study the

management of fruit quality. II. Parameterisation for peach, analysis of growth-related processes and agronomic scenarios.

**Trees** (in press).

- A121. Wu BH, Quilot B, Génard M, Li SH, Zhao JB, Yang J, Wang YQ 2011. Application of a SUGAR model to analyze sugar accumulation in peach cultivars that differ in glucose-fructose ratio. **Journal of Agricultural Science** (in press).